

Finero Oy reserves the right to change prices without prior notice

FINERO

The Quality Control Company

Product Item	Quanti Model	Price (EUR)
6103	G - GROUND BOND (30A)	ON REQUEST
6115	H - HIGH VOLTAGE (40mA Hipot)	ON REQUEST
6116	H - HIGH VOLTAGE (100mA Hipot)	ON REQUEST
6162	I - ISO	ON REQUEST
6163	HD - HIGH VOLTAGE DUAL (40mA Hipot) *	ON REQUEST
6187	HD - HIGH VOLTAGE DUAL (100mA Hipot) *	ON REQUEST
6164	HQ - HIGH VOLTAGE QUAD (40mA Hipot) *	ON REQUEST
6188	HQ - HIGH VOLTAGE QUAD (100mA Hipot) *	ON REQUEST
6113	HM - HIGH VOLTAGE, DMM (40mA Hipot)	ON REQUEST

6114	HM - HIGH VOLTAGE, DMM (100mA Hipot)	ON REQUEST
6111	HI - HIGH VOLTAGE, ISO (40mA Hipot)	ON REQUEST
6112	HI - HIGH VOLTAGE, ISO (100mA Hipot)	ON REQUEST
6110	LC - LEAKAGE CURRENT	ON REQUEST
6167	2MHI - 2DMM, HIGH VOLTAGE, ISO (40mA Hipot)	ON REQUEST
6168	2MHI - 2DMM, HIGH VOLTAGE, ISO (100mA Hipot)	ON REQUEST
6108	GHI - GROUND BOND, HIGH VOLTAGE, ISO (40mA Hipot)	ON REQUEST
6109	GHI - GROUND BOND, HIGH VOLTAGE, ISO (100mA Hipot)	ON REQUEST
6169	HILS - HIGH VOLTAGE, ISO, LCR, CONTINUITY TEST (40mA Hipot)	ON REQUEST
6170	HILS - HIGH VOLTAGE, ISO, LCR, CONTINUITY TEST (100mA Hipot)	ON REQUEST
6171	ML - DMM, LCR	ON REQUEST
6106	GHILC - GROUND BOND, HIGH VOLTAGE, ISO, LEAKAGE CURRENT (40mA Hipot)	ON REQUEST
6107	GHILC - GROUND BOND, HIGH VOLTAGE, ISO, LEAKAGE CURRENT (100mA Hipot)	ON REQUEST
6226	GHILC - GROUND BOND (40A), HIGH VOLTAGE, ISO, LEAKAGE CURRENT (40mA Hipot)	ON REQUEST
6227	GHILC - GROUND BOND (40A), HIGH VOLTAGE, ISO, LEAKAGE CURRENT (100mA Hipot)	ON REQUEST
6172	HIS - HIGH VOLTAGE, ISO, CONTINUITY TEST (40mA Hipot)	ON REQUEST
6173	HIS - HIGH VOLTAGE, ISO, CONTINUITY TEST (100mA Hipot)	ON REQUEST
6104	MGHI - DMM, GROUND BOND, HIGH VOLTAGE, ISO (40mA Hipot)	ON REQUEST
6105	MGHI - DMM, GROUND BOND, HIGH VOLTAGE, ISO (100mA Hipot)	ON REQUEST

6165	MHI - DMM, HIGH VOLTAGE, ISO (40mA Hipot)	ON REQUEST
6166	MHI - DMM, HIGH VOLTAGE, ISO (100mA Hipot)	ON REQUEST
6197	GI - GROUND BOND, ISO	ON REQUEST
	Option Item	
	Power cord (according to local requirements)	Incl.
5946	Safety circuit connector D25	Incl.
6183	Rack installation set	ON REQUEST

	OPTIONAL INTERFACES	
2752	R RS-232 Note 1,2	ON REQUEST
2753	G GP-IB (IEEE488) Note 1,2	ON REQUEST
2159	U USB Interface in the back panel, type B Note 1,2	ON REQUEST
5458	E Ethernet Note 1,2	ON REQUEST
	B Bar Code Reader	ON REQUEST
	RM Relay Matrix (External)	ON REQUEST

	SOFTWARE LISENCES	
3935-5	Safetest 100b multisystem lisenca, up to 5 test systems	ON REQUEST
3935-1	Safetest 100b lisenca, Single test system	ON REQUEST

3935-1+	Safetest 100b lisenca, additional test system to single lisenca	ON REQUEST
0971	FST-LabVIEW driver	ON REQUEST

MODELS H, I, HI ACCESSORIES		
6178	3pcs HV-cable, 2m with connector to Quanti back panel Note 1,2	ON REQUEST
6165	3pcs of HV-plugs	ON REQUEST
6156	High Voltage pistol with connector SP-02 2m cable (including connection box)	ON REQUEST
6157	High Voltage pistol with connector SP-02 5m cable (including connection box)	ON REQUEST
6158	High Voltage pistol with connector SP-03 2m cable (including connection box)	ON REQUEST
6159	High Voltage pistol with connector SP-03 5m cable (including connection box)	ON REQUEST
6198	HV-cable for Quanti Hipot, ordered by meters	ON REQUEST
6179	HV-cable, 2m with ready installed plug	ON REQUEST
6180	HV-cable, 5m with ready installed plug	ON REQUEST
5940	Crocodile HV-clip 5 kV, red	ON REQUEST
5941	Crocodile HV-clip 5kV, black	ON REQUEST

MODEL G ACCESSORIES		
0121	GB Probe, remote controlled	ON REQUEST
5950	GB-cable 2m, red with crocodile clip	ON REQUEST

1731	GB-cable, 2m, black with crocodile clip	ON REQUEST
------	-----------------------------------------	------------

MODEL M ACCESSORIES		
6160	DMM test leads, red and black with crocodile clips. Note 1,2	
6160	DMM test leads, red and black with crocodile clips	

MODEL S ACCESSORIES		
6160	DMM test leads, red and black with crocodile clips. Note 1,2	ON REQUEST
6160	DMM test leads, red and black with crocodile clips	ON REQUEST

MODEL LC ACCESSORIES		
6181	Leakage Current test lead set	ON REQUEST

MODEL L ACCESSORIES		
6182	LCR test lead set	ON REQUEST

NOTE! Ask the customer whether the Quanti – series tester is intended to be controlled manually or PC structurally. If the device is PC controlled, an interface is required (USB, Ethernet, RS-232, GPIB), which affects to the buildup of the device.

EXPLANATIONS:

1 = As default, Quanti equipment is delivered without interfaces, except the one USB interface in the front panel. Further interfaces can be ordered separately.

2 = Quanti™ products include one factory installed Finero proprietary Quanti Link interface (except if manual use is ordered), which can be used for internal communication between numerous Quanti equipment. A factory installed Quanti Link can also be ordered separately.

3= Guaranteed performance only with Labview.

x = Optional, additional price

Incl. = Included in the product's price

STANDARD DELIVERY TERM: EX WORKS KAUSALA FINLAND

20 EUR packaging costs will be added for first piece of equipment, next ones 5 EUR per each.

OPTIONAL DELIVERY TERM DDU: in addition to EX WORKS costs all shipment costs and all additional incurred costs are added in full to the total invoice value.